Safety Data Sheet

ADASEAL ACRYLIC LATEX CAULK

Section 1. Identification

Product Identifier Acrylic Latex Caulk

Synonyms N/A
Manufacture Stock N/A

Numbers

Recommended use Refer to Technical Data
Uses advised against Refer to Technical Data

Manufacturer Contact

Address Adaseal International

5468 Hwy 70 West Waverly, TN 37185

USA

Phone Emergency Fax

Phone

(931)296-2291 (800) 424- N/A

9300 Chemtrec

Section 2. Hazards I dentification

Classification N/A

Signal Word

Pictogram

Hazard Statements N/A

Precautionary Statements

Response N/A
Prevention N/A
Storage N/A
Disposal N/A

Ingredients of unknown 0% toxicity

Hazards not Otherwise Classified

Since the hazardous ingredients in this solid material are not expected to be freely available, the risk of exposure is minimal

and therefore the product is considered non-hazardous.

Section 3. Ingredients

| CAS | Ingredient Name | Weight % |
|-------------|--|-----------|
| Proprietary | Phthalate plasticizer | 1% - 5% |
| 64742-46-7 | Distillates (petroleum), hydrotreated middle | 1% - Max |
| Proprietary | Vinyl acetate/acrylic copolymer | 10% - 30% |
| 471-34-1 | Calcium Carbonate | 35% - 65% |

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid Measures

Inhalation Remove to fresh air. If symptoms persist, obtain appropriate

medical attention.

Skin Contact Wash affected area with soap and water.

Eye Contact Rinse with water for 15 minutes. Obtain medical attention.

Ingestion No first aid should be needed.

Section 5. Fire Fighting Measures

Suitable Extinguishing N/A

Media

Unsuitable N/A

Extinguishing Media

Extinguishing Media

Alcohol Foam, Carbon

Dioxide, Dry Chemical, Foam, Water Fog

Flammability Limits in Lower: 0.9% by Air volume Upper: 15.3%

by volume

Special Fire Fighting

Procedures

Non-flammable (aqueous emulsion).

After water

evaporates, remaining material will burn. Breathing apparatus required when fighting

fires in enclosed

areas.

Unusual Fire or Product will not burn, Explosion Hazards but may splatter if temperature exceeds

temperature exceeds boiling point of water. Dried solids can burn, giving off oxides of

carbon.

Section 6. Accidental Release Measures

Steps to be taken in case of spill or release

Restrict area to only those personnel needed. Major spills should be collected for disposal. Minor spills may be flushed to sewer if permitted by state, federal and local regulations.

Section 7. Handling and Storage

Handling Avoid breathing vapors in top of shipping container. Keep

container closed. Use with adequate ventilation. Avoid contact

with skin and clothing. Wash throughly after handling.

Storage Store in a cool dry place. Protect from freezing and excessive

heat.

Section 8. Exposure Controls/Personal Protecction

Occupational Exposure Limits

| Ingredient Name | ACGIH TLV | OSHA PEL | STEL |
|---------------------------------|--------------|-------------|-------|
| Phthalate plasticizer | 10 mg/m3 | 5 mg/m3 | N/A |
| Distillates (petroleum), | 5 mg/m3 | 5 mg/m3 | 10 |
| hydrotreated middle | | | mg/m3 |
| Vinyl acetate/acrylic copolymer | N/A | N/A | N/A |
| Calcium Carbonate | N/A | N/A | N/A |

Personal Protective

Equipment

Goggles, Gloves

Eye Protection Respiratory Protection Safety goggles or glasses with side shields are recommended. No respiratory protection should be needed with good local

ventilation.

Ventilation

Local exhaust ventilation is recommended to maintain vapor level

below TLV.

Skin Protection

Impervious gloves are suggested.

Section 9. Physical and Chemical Properties

| Physical State | Paste |
|--------------------------------|--------------|
| Color | Various |
| Odor | Slight |
| Odor Threshold | N/A |
| Solubility | Dilutable in |
| | wet stage |
| Partition coefficient Water/n- | N/A |
| octanol | |
| Viscosity | 750,000 cPs |
| Specific Gravity | 1.72 |
| Density Ibs/Gal | 14.3541 |
| Pounds per Cubic Foot | 107.37609 |
| Flash Point | Not |
| | determined |
| FP Method | N/A |
| Ph | 8 |
| Melting Point | OC |
| Boiling Point | 100C |
| Boiling Range | N/A |
| LEL | N/A |
| UEL | N/A |
| Evaporation Rate | Slower than |
| | n-Butyl |
| | Acetate |
| Flammability | N/A |
| Decomposition Temperature | N/A |
| Auto-ignition Temperature | N/A |
| Vapor Pressure | Not |
| | Determined |
| Vapor Density | Lighter than |
| | air |

NoteThe above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

Section 10. Stability and Reactivity

Chemical Stability Stable Materials to Avoid / None known

Incompatibility

Hazardous Polymerization Will not occur

Section 11. Toxicological Information

Component Toxicology Information

No known applicable information.

Special Hazard Information on Components

No known applicable information.

Section 12. Ecological Information

Environmental Effects Complete information is not yet available. Environmental Fate and Complete information is not yet available.

Distribution

Fate and Effects in Complete information is not yet available. Waste Water Treatment

Plants

Section 13. Disposal

Waste Disposal Method We make no guarantee or warranty of any kind that the use or disposal of this product complies with all local, state, or federal laws. It is also the obligation of each user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. This product is not known to be regulated under RCRA regulations. Disposal of unused portions of this product and process waste containing this product should be done only after a careful evaluation and in compliance with all federal, local and state laws.

Section 14. Transport Information

| UN Number | N/A |
|-------------------------|-----|
| UN Proper Shipping Name | N/A |
| DOT Classification | N/A |
| Packing Group | N/A |
| | |

Ocean Shipment (IMDG)

Road Shipment Information (DOT) Air Shipment (IATA) Not subject to IMDG code. Not subject to DOT regulations. Not subject to IATA regulations.

Section 15. Regulatory Information

TSCA Status All chemical substances found in this product comply with the

Toxic Substances Control Act inventory reporting requirements.

The contents of this MSDS comply with the OSHA Hazard

Communication Standard 29 CFR 1910.1200.

SARA Title III Section

302 Extremely

Hazardous Substances

SARA Titre III Section None 304 CERCLA Substances

dangereuses

SARA Title III Section

312 Hazard Class

SARA Title III Section 313 Toxic Chemicals

California Proposition

65

None

Acute: Yes Chronic: No Fire: No Pressure: No Reactive: No

None present or none present in regulated quantities.

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None known

Section 16. Other Information

Revision Date Disclaimer

1/9/2014

The data contained herein is based upon information that Adaseal International believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.