# SAFETY DATA SHEET

# 1. Identification

Product number	1000028614
Product identifier	18.5 OZ CHEMBON BRAKE CLEANER LB 12PK
Company information	ADASEAL INTERNATIONAL INC. 5468 HWY 70 WEST WAVERLY, TN 37185 United States
Company phone	General Assistance 931-296-2291
Emergency telephone US	1-866-836-8855
Emergency telephone outside US	1-952-852-4646
Version #	01
Recommended use	CLEANER
<b>Recommended restrictions</b>	None known.

# 2. Hazard(s) identification

Physical hazards	Gases under pressure	Compressed gas
Health hazards	Acute toxicity, dermal	Category 3
	Carcinogenicity	Category 2
OSHA defined hazards	Not classified.	
Label elements		
	$\wedge \wedge$	
Signal word	Warning	
Hazard statement	Contains gas under pressure; may explode i	f heated. Suspected of causing cancer.
Precautionary statement		
Durantian	Obtain anasial instructions hafars use. Do n	at benefic until all asfatu are soutiens, bevo

Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If exposed or concerned: Get medical advice/attention.		
Storage	Store locked up. Protect from sunlight. Store in a well-ventilated place.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Environmental hazards	Hazardous to the ozone layer Category 1		
Hazard(s) not otherwise classified (HNOC)	Toxic to aquatic life. Toxic to aquatic life with long lasting effects.		
Supplemental information	None.		

# 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Perchloroethylene		127-18-4	90 - 100
Carbon Dioxide		124-38-9	2.5 - 10
Carbon Tetrachloride		56-23-5	0.1 - 1

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	No specific first aid measures noted.	
Ingestion	Not likely, due to the form of the product.	
Most important symptoms/effects, acute and delayed	Headache. Dizziness. Nausea.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.	
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.	
Specific methods	Cool containers exposed to flames with water until well after the fire is out.	
	O antente un des serves. Des su vier des stais en serve sur la de uniter serves ad talla set au flama	

**General fire hazards** Contents under pressure. Pressurized container may explode when exposed to heat or flame.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Purge air from system before introducing gas. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Do not re-use empty containers. Avoid prolonged exposure. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Level 1 Aerosol.

Store locked up. Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Stored containers should be periodically checked for general condition and leakage. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### **Occupational exposure limits**

Components		Туре			Value	
Carbon Dioxide (CAS 124-38-9)		PEL			9000 mg/m3	
					5000 ppm	
US. OSHA Table Z-2 (29 Components	CFR 1910.1000)				Value	
		Туре				
Carbon Tetrachloride (CAS 56-23-5)	3	Ceilin	g		25 ppm	
		TWA			10 ppm	
Perchloroethylene (CAS 127-18-4)		Ceilin	g		200 ppm	
		TWA			100 ppm	
US. ACGIH Threshold Lir	nit Values					
Components		Туре			Value	
Carbon Dioxide (CAS 124-38-9)		STEL			30000 ppm	
		TWA			5000 ppm	
Carbon Tetrachloride (CAS 56-23-5)	3	STEL			10 ppm	
		TWA			5 ppm	
Perchloroethylene (CAS 127-18-4)		STEL			100 ppm	
		TWA			25 ppm	
US. NIOSH: Pocket Guide	e to Chemical H	azards				
Components		Туре			Value	
Carbon Dioxide (CAS 124-38-9)		STEL			54000 mg/m3	
					30000 ppm	
		TWA			9000 mg/m3	
					5000 ppm	
Carbon Tetrachloride (CAS 56-23-5)	6	STEL			12.6 mg/m3	
					2 ppm	
ogical limit values						
ACGIH Biological Expose Components	ure Indices Value		Determinant	Specime	n Sampling Time	
Perchloroethylene (CAS 127-18-4)	0.5 mg/l		Tetrachloroet	hy Blood	*	
	3 ppm		Tetrachloroet	hy End-exha air	led *	
* - For sampling details, pl	ease see the sou	irce docu				
osure guidelines						
US - California OELs: Sk	in designation					
Carbon Tetrachloride US - Minnesota Haz Subs	(CAS 56-23-5)	ion ann		n be absorbed tl	hrough the skin.	
	. Skin designal	an appi				
Carbon Tetrachloride	(CAS 56 22 5)		CI-i	n designation ap	online	

#### US ACGIH Threshold Limit Values: Skin designation

	Valuee. ekin deelghallen	
Carbon Tetrachloride (C	AS 56-23-5) Can be absorbed through the skin.	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures	, such as personal protective equipment	
Eye/face protection	If contact is likely, safety glasses with side shields are recommended.	
Skin protection Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.	
Other	Wear suitable protective clothing. Use of an impervious apron is recommended.	
Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	d

# 9. Physical and chemical properties

Appearance	
Physical state	Gas.
Form	Aerosol. Compressed gas.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling	241.35 °F (116.31 °C) estimated
range	
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	80 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1.619 estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Hydrogen chloride.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Dizziness. Nausea.

#### Information on toxicological effects

Acute toxicity

Components	Species		Test Results		
Perchloroethylene (CAS 127-18-4)	Perchloroethylene (CAS 127-18-4)				
<u>Acute</u>					
Inhalation					
LC50	Dog; Mouse; Rabbit; Rat		3000 ppm		
Oral					
LD50	Cat; Dog; Mouse; Rabbit; Ra	at	> 1500 mg/kg		
	Rat		3005 mg/kg		
* Estimates for product may be	e based on additional componer	nt data not shown.			
Skin corrosion/irritation	Prolonged skin contact may ca	ause temporary irritation	n.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.				
Respiratory or skin sensitizatior	ı				
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.				
Skin sensitization	This product is not expected to cause skin sensitization.				
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.				
Carcinogenicity	Suspected of causing cancer.				
IARC Monographs. Overall I	Evaluation of Carcinogenicity				
Carbon Tetrachloride (CA		2B Possibly carcinog			
Perchloroethylene (CAS 127-18-4) 2A Probably carcinogenic to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)					
Not regulated.					
US. National Toxicology Program (NTP) Report on Carcinogens					
Carbon Tetrachloride (CA Perchloroethylene (CAS					
Reproductive toxicity	This product is not expected to	o cause reproductive or	developmental effects.		
Specific target organ toxicity - single exposure	Not classified.				
Specific target organ toxicity - repeated exposure	Not classified.				

Aspiration hazard	Not likely, due to the form of the product.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

# 12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Components		Species	Test Results
Carbon Tetrachloride	(CAS 56-23-5)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	9.68 - 11.3 mg/l, 96 hours
Perchloroethylene (CA	AS 127-18-4)		
Aquatic			
Crustacea	EC50	Daphnia	7.55 mg/L, 48 Hours
		Water flea (Daphnia magna)	6.1 - 9 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4.82 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

### **Bioaccumulative potential**

Partition coefficient n-oc	tanol / water (log Kow)	
Carbon Tetrachloride	2.83	
Perchloroethylene	3.4	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

# 13. Disposal considerations


Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

# 14. Transport information

D	(	,	T	

UN number UN proper shipping name	UN1950 Aerosols
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Label(s)	2.2
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, non-flammable

Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Label(s)	2.2
Packing group	Not applicable.
Environmental hazards	Yes
ERG Code	2L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Label(s)	2.2
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	Yes
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	
ΠΟΤ	



#### Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant. Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure that containers are firmly secured. Ensure cylinder valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. Ensure valve protection device (where provided) is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.

### 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

BA 204 Emergency release notification	
Perchloroethylene (CAS 127-18-4)	Listed.
Carbon Tetrachloride (CAS 56-23-5)	Listed.

# SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard	categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

# SARA 311/312 Hazardous No

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Perchloroethylene	127-18-4	90 - 100	
Carbon Tetrachloride	56-23-5	0.1 - 1	

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Carbon Tetrachloride (CAS 56-23-5) Perchloroethylene (CAS 127-18-4)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

#### **US state regulations**

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Carbon Tetrachloride (CAS 56-23-5)

Perchloroethylene (CAS 127-18-4)

### US. Massachusetts RTK - Substance List

Carbon Dioxide (CAS 124-38-9) Carbon Tetrachloride (CAS 56-23-5) Perchloroethylene (CAS 127-18-4)

#### US. New Jersey Worker and Community Right-to-Know Act

Carbon Dioxide (CAS 124-38-9) Carbon Tetrachloride (CAS 56-23-5) Perchloroethylene (CAS 127-18-4)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Carbon Dioxide (CAS 124-38-9) Carbon Tetrachloride (CAS 56-23-5) Perchloroethylene (CAS 127-18-4)

### US. Rhode Island RTK

Carbon Tetrachloride (CAS 56-23-5) Perchloroethylene (CAS 127-18-4)

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Carbon Tetrachloride (CAS 56-23-5)	Listed: October 1, 1987
Perchloroethylene (CAS 127-18-4)	Listed: April 1, 1988

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date Version #	05-02-2016 01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
<b>Revision information</b>	Product and Company Identification: Alternate Trade Names