

# Material Safety Data Sheet

## Oxime Clear RTV Silicone

### 1. Product and company identification

|                             |  |
|-----------------------------|--|
| <b>Product name</b>         | : Oxime Clear RTV Silicone   |
| <b>Material uses</b>        | : Sealant.   |
| <b>Manufacturer</b>         | : Dow Corning Corporation<br>South Saginaw Road<br>Midland, Michigan 48686   |
| <b>Supplier</b>             | : Adaseal International Inc.<br>5468 Hwy 70 W<br>Waverly, TN. 37185<br>Phone: 931-296-2291<br>Toll Free: 800-521-2521<br>Fax: 931-296-5239<br>E-Mail: adaseal2@adaseal.com |
| <b>MSDS authored by</b>     | : KMK Regulatory Services Inc.   |
| <b>In case of emergency</b> | : CHEMTREC International: +1(703) 527-3887   |
| <b>Hours of operation</b>   | : 24 hours/day, 7 days/week  |

### 2. Hazards identification

For this product, the ignition distance test and the flammability test do not apply. Therefore, the final product is non-flammable.

#### Emergency overview

|                               |   |
|-------------------------------|---|
| <b>Physical state</b>         | : Liquid. [Paste.]  |
| <b>Color</b>                  | : Colorless.  |
| <b>Odor</b>                   | : Some odor.  |
| <b>Signal word</b>            | : DANGER!   |
| <b>Hazard statements</b>      | : MAY CAUSE SEVERE ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION.   |
| <b>Precautionary measures</b> | : Use only with adequate ventilation. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Use equipment rated for cylinder pressure. Use a backflow preventative device in piping. Close valve after each use and when empty. Wash thoroughly after handling. |

**Routes of entry** : Dermal contact. Eye contact. Inhalation. Ingestion.

#### Potential acute health effects

|                   |  |
|-------------------|--|
| <b>Inhalation</b> | : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. |
| <b>Ingestion</b>  | : No known significant effects or critical hazards.  |
| <b>Skin</b>       | : May cause sensitization by skin contact.   |
| <b>Eyes</b>       | : Irritating to eyes.  |

#### Potential chronic health effects

|                        |   |
|------------------------|---|
| <b>Chronic effects</b> | : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| <b>Carcinogenicity</b> | : No known significant effects or critical hazards.   |

## 2. Hazards identification

- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.
- Target organs** : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.
- Skin** : Adverse symptoms may include the following:  
irritation  
redness
- Eyes** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

**Medical conditions aggravated by overexposure** : Pre-existing skin disorders may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

## 3. Composition/information on ingredients

| Name   | CAS number | %       | WHMIS (Classification)   |
|--|------------|---------|--|
| Silicon dioxide                                | 7631-86-9  | 10 - 30 | Not controlled under WHMIS (Canada).<br>Class D-2B: Material causing other toxic effects (Toxic).<br>Class A: Compressed gas.<br>Class B-1: Flammable gas. |
| Butan-2-one O,O',O''-(methylsilyldiyl)trioxime | 22984-54-9 | 5 - 10  |  |
| 1,1-Difluoroethane                             | 75-37-6    | 1 - 5   |  |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 20 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
- Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

## 5. Fire-fighting measures

- Flammability of the product** : No specific fire or explosion hazard.
- Extinguishing media**
- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : No special precaution is required.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
halogenated compounds  
carbonyl halides  
metal oxide/oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
- Special remarks on fire hazards** : Not available.
- Special remarks on explosion hazards** : Not available.

## 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## 7. Handling and storage

- Handling** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Protect from sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

| <u>Occupational exposure limits</u> |                  | <u>TWA (8 hours)</u> |                         |              | <u>STEL (15 mins)</u> |                         |              | <u>Ceiling</u> |                         |              |                  |
|-------------------------------------|------------------|----------------------|-------------------------|--------------|-----------------------|-------------------------|--------------|----------------|-------------------------|--------------|------------------|
| <u>Ingredient</u>                   | <u>List name</u> | <u>ppm</u>           | <u>mg/m<sup>3</sup></u> | <u>Other</u> | <u>ppm</u>            | <u>mg/m<sup>3</sup></u> | <u>Other</u> | <u>ppm</u>     | <u>mg/m<sup>3</sup></u> | <u>Other</u> | <u>Notations</u> |
| 1,1-Difluoroethane                  | US AIHA 5/2010   | 1000                 | -                       | -            | -                     | -                       | -            | -              | -                       | -            |                  |

Consult local authorities for acceptable exposure limits.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
- Engineering measures** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Personal protection**
- Respiratory** : Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

## 8. Exposure controls/personal protection

- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Other protection** : Not available.

## 9. Physical and chemical properties

- Physical state** : Liquid. [Paste.]
- Flash point** : Not available.
- Burning time** : Not applicable.
- Burning rate** : Not applicable.
- Auto-ignition temperature** : Not available.
- Flammable limits** : Not available.
- Color** : Colorless.
- Odor** : Some odor.
- Taste** : Not available.
- Molecular weight** : Not applicable.
- Molecular formula** : Not applicable.
- pH** : Not available.
- Boiling/condensation point** : Not available.
- Melting/freezing point** : Not available.
- Critical temperature** : Not available.
- Relative density** : 1.04
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Volatility** : Not available.
- Odor threshold** : Not available.
- Evaporation rate** : Not available.
- SADT** : Not available.
- Viscosity** : Not available.
- Ionicity (in water)** : Not available.
- Dispersibility properties** : Not available.
- Solubility** : Not available.
- Partition coefficient (LogKow)** : There is no data available.
- Physical/chemical properties comments** : Not available.

## 10. Stability and reactivity

- Chemical stability** : The product is stable.
- Conditions to avoid** : No specific data.
- Incompatible materials** : Reactive or incompatible with the following materials: oxidizing materials and moisture.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

## 11. Toxicological information

### Acute toxicity

There is no data available.

### Chronic toxicity

There is no data available.

### Irritation/Corrosion

| Product/ingredient name | Result               | Species | Score | Exposure       | Observation |
|-------------------------|----------------------|---------|-------|----------------|-------------|
| Silicon dioxide         | Eyes - Mild irritant | Rabbit  | -     | 24 hours 25 mg | -           |

### Sensitizer

**Skin** : There is no data available.

**Respiratory** : There is no data available.

### Carcinogenicity

#### Classification

| Product/ingredient name | ACGIH | IARC | EPA | NIOSH | NTP | OSHA |
|-------------------------|-------|------|-----|-------|-----|------|
| Silicon dioxide         | -     | 3    | -   | -     | -   | -    |

### Mutagenicity

There is no data available.

### Teratogenicity

There is no data available.

### Reproductive toxicity

There is no data available.

**Synergistic products** : Not available.

## 12. Ecological information

**Ecotoxicity** : No known significant effects or critical hazards.

### Aquatic ecotoxicity

| Product/ingredient name | Result                            | Species                                 | Exposure |
|-------------------------|-----------------------------------|---|----------|
| Silicon dioxide         | Acute EC50 55.5 mg/L Fresh water  | Algae - Pseudokirchneriella subcapitata | 72 hours |
|                         | Chronic NOEC 4.6 mg/L Fresh water | Algae - Pseudokirchneriella subcapitata | 72 hours |

### Persistence/degradability

There is no data available.

**Partition coefficient: n-octanol/water** : There is no data available.

**Bioconcentration factor** : Not available.

## 12. Ecological information

- Mobility** : Not available.  
**Toxicity of the products of biodegradation** : Not available.  
**Other adverse effects** : No known significant effects or critical hazards.




## 13. Disposal considerations

- Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- Waste stream** : Not available.  
**RCRA classification** : Not available.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14. Transport information

| Regulatory information    | UN number | Proper shipping name   | Classes | PG* | Label   | Additional information                       |
|---------------------------|-----------|--|---------|-----|---|--|
| <b>TDG Classification</b> | UN1950    | Aerosols, flammable (each not exceeding 1 L capacity) (1,1-Difluoroethane) | 2.1     | -   |  | <b>Remarks</b><br>Limited Quantity Exemption |
| <b>IMDG Class</b>         | UN1950    | Aerosols, flammable (each not exceeding 1 L capacity) (1,1-Difluoroethane) | 2.1     | -   |  | <b>Remarks</b><br>Limited Quantity Exemption |
| <b>IATA-DGR Class</b>     | UN1950    | Aerosols, flammable (each not exceeding 1 L capacity) (1,1-Difluoroethane) | 2.1     | -   |  | <b>Remarks</b><br>Limited Quantity Exemption |

PG\* : Packing group

Exemption to the above classification may apply.

**AERG** : 126

## 15. Regulatory information

- WHMIS (Canada)** : Class A: Compressed gas.  
**Canadian lists**  
**Canadian NPRI** : The following components are listed: 1,1-Difluoroethane  
**CEPA Toxic substances** : The following components are listed: 1,1-Difluoroethane  
**Canada inventory** : All components are listed or exempted.

## 15. Regulatory information


This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

## 16. Other information

**Label requirements** : MAY CAUSE SEVERE ALLERGIC SKIN REACTION. CAUSES EYE IRRITATION.

**Canada**

**WHMIS (Canada)** :



**History**

- Date of issue** : 09/30/2014
- Date of previous issue** : 05/30/2014
- Version** : 3
- Revised Section(s)** : 1, 2, 3, 14, 16.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.